```
? show files; ds
     35:Dissertation Abs Online 1861-2007/May
         (c) 2007 ProQuest Info&Learning
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
     65:Inside Conferences 1993-2007/Jun 13
         (c) 2007 BLDSC all rts. reserv.
       2:INSPEC 1898-2007/Jun W1
         (c) 2007 Institution of Electrical Engineers
File 474: New York Times Abs 1969-2007/Jun 13
         (c) 2007 The New York Times
File 475: Wall Street Journal Abs 1973-2007/Jun 13
         (c) 2007 The New York Times
     99: Wilson Appl. Sci & Tech Abs 1983-2007/May
         (c) 2007 The HW Wilson Co.
File 256:TecInfoSource 82-2007/Oct
         (c) 2007 Info. Sources Inc
     47:Gale Group Magazine DB(TM) 1959-2007/Jun 01
         (c) 2007 The Gale group
File 570: Gale Group MARS(R) 1984-2007/Jun 11
         (c) 2007 The Gale Group
File 635:Business Dateline(R) 1985-2007/Jun 13
         (c) 2007 ProQuest Info&Learning
File 476: Financial Times Fulltext 1982-2007/Jun 13
         (c) 2007 Financial Times Ltd
File 477: Irish Times 1999-2007/Jun 13
         (c) 2007 Irish Times
File 710: Times/Sun. Times (London) Jun 1988-2007/Jun 13
         (c) 2007 Times Newspapers
File 711: Independent (London) Sep 1988-2006/Dec 12
         (c) 2006 Newspaper Publ. PLC
File 756: Daily/Sunday Telegraph 2000-2007/Jun 13
         (c) 2007 Telegraph Group
File 757:Mirror Publications/Independent Newspapers 2000-2007/Jun 13
         (c) 2007
File 387: The Denver Post 1994-2007/Jun 12
         (c) 2007 Denver Post
File 471:New York Times Fulltext 1980-2007/Jun 16
         (c) 2007 The New York Times
File 492:Arizona Repub/Phoenix Gaz 19862002/Jan 06
         (c) 2002 Phoenix Newspapers
File 494:St LouisPost-Dispatch 1988-2007/Jun 12
         (c) 2007 St Louis Post-Dispatch
File 631:Boston Globe 1980-2007/Jun 13
         (c) 2007 Boston Globe
File 633:Phil.Inquirer 1983-2007/Jun 11
         (c) 2007 Philadelphia Newspapers Inc
File 638: Newsday/New York Newsday 1987-2007/Jun 13
         (c) 2007 Newsday Inc.
File 640:San Francisco Chronicle 1988-2007/Jun 13
         (c) 2007 Chronicle Publ. Co.
File 641:Rocky Mountain News Jun 1989-2007/Jun 13
         (c) 2007 Scripps Howard News
File 702:Miami Herald 1983-2007/Jun 07
         (c) 2007 The Miami Herald Publishing Co.
File 703:USA Today 1989-2007/Jun 13
         (c) 2007 USA Today
File 704: (Portland) The Oregonian 1989-2007/Jun 12
         (c) 2007 The Oregonian
File 713:Atlanta J/Const. 1989-2007/Jun 10
         (c) 2007 Atlanta Newspapers
```

File 714: (Baltimore) The Sun 1990-2007/Jun 13
(c) 2007 Baltimore Sun

File 715: Christian Sci.Mon. 1989-2007/Jun 14
(c) 2007 Christian Science Monitor

File 725: (Cleveland) Plain Dealer Aug 1991-2007/Jun 12
(c) 2007 The Plain Dealer

File 735: St. Petersburg Times 1989- 2007/Jun 10
(c) 2007 St. Petersburg Times

Set	_Items	Description
/ S1	12	(BROWSER? ?(9N)SETTING? ?)(S)((DETERMIN??? OR DETERMINATIO-
(	И3	? OR SELECT???? OR CHOOS??? OR CHOSE OR CHOSEN OR CHOICE? -
1	?)	(7N) (SERVER? ? OR CATALOG? ? OR CATALOGUE? ? OR DESTINATION?
	?	OR WEBSITE? ? OR WEBPAGE? ? OR (WEB(W)(SITE? ? OR PAGE? ?)-
	))	Scorhol
S2	14	(BROWSER? ?(9N) (PROXY(W) SETTING? ?)) AND PY<2003
€S3	14	RD (unique items)
		Searchal through

nor

```
show files; ds
     15:ABI/Inform(R) 1971-2007/Jun 13
         (c) 2007 ProQuest Info&Learning
       9:Business & Industry(R) Jul/1994-2007/Jun 08
         (c) 2007 The Gale Group
File 610: Business Wire 1999-2007/Jun 13
         (c) 2007 Business Wire.
File 810: Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 275: Gale Group Computer DB(TM) 1983-2007/Jun 11
         (c) 2007 The Gale Group
File 476: Financial Times Fulltext 1982-2007/Jun 13
         (c) 2007 Financial Times Ltd
File 624:McGraw-Hill Publications 1985-2007/Jun 06
         (c) 2007 McGraw-Hill Co. Inc
File 636: Gale Group Newsletter DB(TM) 1987-2007/Jun 01
         (c) 2007 The Gale Group
File 621:Gale Group New Prod.Annou.(R) 1985-2007/Jun 11
         (c) 2007 The Gale Group
File 613:PR Newswire 1999-2007/Jun 13
         (c) 2007 PR Newswire Association Inc
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
     16:Gale Group PROMT(R) 1990-2007/Jun 11
         (c) 2007 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
File 634:San Jose Mercury Jun 1985-2007/Jun 12
         (c) 2007 San Jose Mercury News
File 148: Gale Group Trade & Industry DB 1976-2007/Jun 11
         (c) 2007 The Gale Group
      20:Dialog Global Reporter 1997-2007/Jun 13
         (c) 2007 Dialog
Set
        Items
                Description
           51
                 (BROWSER(9N) (PROXY(W) SETTING? ?)) AND PY<2003
S1
                    (unique items) = Search on through
           31
                 (BROWSERS (9N) (PROXY (W) SETTING? ?)) AND PY<2003)
                 (BROWSER? ? (9N) SETTING? ?) (S) ((DETERMIN??? OR DETERMINATIO-
           40
             N? ? OR SELECT???? OR CHOOS??? OR CHOSE OR CHOSEN OR CHOICE? -
             ?)(7N)(SERVER? ? OR CATALOG? ? OR CATALOGUE? ? OR DESTINATION?
              ? OR WEBSITE? ? OR WEBPAGE? ? OR (WEB(W)(SITE? ? OR PAGE? ?)-
             )))
S5
           26
                S4 AND PY<2003
S6
           21
                    (unique items) )
```

nor

## Freeform Search

Databas	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	•
Term:	browser NEAR9 (proxy ADJ setting)	
Display: Generate	Documents in <u>Display Format</u> : Starting with Nume: Hit List Hit Count Side by Side Image  Search Clear Interrupt	ber 1
	Search History	
DATE: Wed	nesday, June 13, 2007 Purge Queries Printable Copy Create Ca	ase
Set Name Query side by side	Z.	Hit Set Count Name result set
	JPAB,DWPI,TDBD; PLUR=YES; OP=OR er NEAR9 (proxy ADJ setting)	1 <u>L4</u>
L3 choos webpa	ser NEAR9 setting) SAME ((determin\$3 or determination or select\$4 or \$3 or choice or chose or chosen) NEAR7 (server or catalog or website or age or (web ADJ (site or page)) or destination))	12 <u>L3</u>
(brows	USPT; PLUR=YES; OP=OR ser NEAR9 setting) SAME ((determin\$3 or determination or select\$4 or \$3 or choice or chose or chosen) NEAR7 (server or catalog or website or ge or (web ADJ (site or page)) or destination))	202 L2 FOATE
	er NEAR9 (proxy ADJ setting)	76 <u>L1</u>
END OF SEAI	RCH HISTORY	

NDR 6/13/2007

```
? show files; ds
File
     15:ABI/Inform(R) 1971-2007/Jun 13
          (c) 2007 ProQuest Info&Learning
       9:Business & Industry(R) Jul/1994-2007/Jun 08
          (c) 2007 The Gale Group
File 610: Business Wire 1999-2007/Jun 13
          (c) 2007 Business Wire.
File 810: Business Wire 1986-1999/Feb 28
          (c) 1999 Business Wire
File 275:Gale Group Computer DB(TM) 1983-2007/Jun 11
          (c) 2007 The Gale Group
File 476: Financial Times Fulltext 1982-2007/Jun 13
          (c) 2007 Financial Times Ltd
File 624:McGraw-Hill Publications 1985-2007/Jun 06
          (c) 2007 McGraw-Hill Co. Inc
File 636:Gale Group Newsletter DB(TM) 1987-2007/Jun 01
          (c) 2007 The Gale Group
File 621: Gale Group New Prod. Annou. (R) 1985-2007/Jun 11
          (c) 2007 The Gale Group
File 613:PR Newswire 1999-2007/Jun 13
          (c) 2007 PR Newswire Association Inc
File 813:PR Newswire 1987-1999/Apr 30
          (c) 1999 PR Newswire Association Inc
      16:Gale Group PROMT(R) 1990-2007/Jun 11
          (c) 2007 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
          (c) 1999 The Gale Group
File 634:San Jose Mercury Jun 1985-2007/Jun 12
          (c) 2007 San Jose Mercury News
File 148: Gale Group Trade & Industry DB 1976-2007/Jun 11
          (c)2007 The Gale Group
      20:Dialog Global Reporter 1997-2007/Jun 13
         (c) 2007 Dialog
Set
        Items
                Description
S1
          108
                 (CATALOG OR CATALOGS OR CATALOGUE OR CATALOGUES) (14N) (SHOP-
             BOT? ? OR BOT OR BOTS OR (SEARCH(W) AGENT? ?))
          103
                S1 AND PY<2003
                    (unique items) scarched through
S3
           62
                 RD
S4
                 ((CATALOG OR CATALOGS OR CATALOGUE OR CATALOGUES) (14N) ((SH-
             OP OR SHOPS OR SHOPPING) (5N) (AGENT OR AGENTS))) AND PY<2003
S5
                RD (unique items) send through
           753
                 ((REQUEST??? OR SEARCH??? OR QUERY OR QUERIE? ? OR QUERYIN-
             G) (11N) ((MULTIPLE OR SEVERAL OR DIFFERENT OR PLURALITY) (7N) (C-
             ATALOGS OR CATALOGUES)))
S7
                 ((SEARCH??? OR REQUEST??? OR QUERY OR QUERIES OR QUERIED OR
              QUERYING) (14N) ((MULTIPLE OR PLURALITY OR SEVERAL OR DIFFEREN-
             T) (7N) (CATALOGS OR CATALOGUES))) (S) (SERVER OR SERVERS)
S8
           45
                S7 AND PY<2003
                RD (unique items) scarof bhromb
S9
           28
S10
          612
                S6 AND PY<2003
S11
           40
                 (S6(S)(PARS??? OR FORMAT????)) AND PY<2003
                     (unique items) southed through
S12
```

nor

## Freeform Search

		US Pre-Grant Publicati US Patents Full-Text D US OCR Full-Text Data	atabase				
D	atabase:	EPO Abstracts Databas	se				
		JPO Abstracts Databas Derwent World Patents					
		IBM Technical Disclosu	ıre Bulletins				
T	erm:		\$1 or querying) NE plurality or seve				
D	isplay:	10 Documents i	n <u>Display Format: -</u>	Starting with I	Number 1		
G	enerate:	O Hit List O Hit C	Count O Side by Side	○ Image	,		
			,	111			
		Sea	rch Clear	Interrupt •			
				ndowie Pro-			
		and the same and t	Caranh III'-4				
			Search History				
DATE.	Wodn	andari Irina 12 2007	Daniel Oceanie	Dulanta Ia I a Constant			
DAIL	wean	esday, June 13, 2007	Purge Queries	Printable Copy Crea	te Case		
<u>Set</u>	•				Hit	<u>Set</u>	
Name	Query				<u>Hit</u> Count	Name	
	-						
Name side by side	<i>EPAB,J</i> Į	PAB,DWPI,TDBD; PL		<u>.</u>	Count	Name result	
Name side by side	<i>EPAB,J]</i> ((query			TTH (multiple or plura	Count	Name result set	
Name side by side DB=	EPAB,JI ((query or sever	or querie\$1 or queryir al or different) or querie\$1 or queryir	ng) NEAR9 catalog) W	r item or merchandise)	Count	Name result set	
Name side by side DB=	((query or sever ((query SAME	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality	ng) NEAR9 catalog) Wing) NEAR9 (product of or several or different	r item or merchandise)	Count	Name result set	
Name side by side DB=	((query or sever ((query SAME aggrega	or querie\$1 or queryir al or different) or querie\$1 or queryir	ng) NEAR9 catalog) Wang) NEAR9 (product of several or different or server))	r item or merchandise)	Count ality 2	Name result set	Search
Name side by side $DB = \frac{L8}{DB} = \frac{L7}{DB} = \frac{L7}$	((query or sever ((query SAME aggrega	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog ISPT; PLUR=YES; OF or querie\$1 or querying the properties of the	ng) NEAR9 catalog) Welling) NEAR9 (product of or several or different or server)) $P = OR$ ng) NEAR9 (product of the product o	r item or merchandise) or integrat\$4 or r item or merchandise)	Count	Name result set	bhron
Name side by side DB=	((query or seven ((query SAME aggrega ((query SAME) aggrega ((query SAME) sAME)	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog ISPT; PLUR=YES; OF or querie\$1 or querying ((multiple or plurality))	ng) NEAR9 catalog) Welling) NEAR9 (product of or several or different or server)) $P = OR$ ng) NEAR9 (product of or several or different or diffe	r item or merchandise) or integrat\$4 or r item or merchandise)	Count	Name result set	bhron, hwz
Name side by side DB=  L8  L7  DB=	((query same aggregation of several same aggregation of same aggre	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog ISPT; PLUR=YES; OF or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog	ng) NEAR9 catalog) Welling) NEAR9 (product of or several or different or server)) $P = OR$ ng) NEAR9 (product of or several or different or server))	r item or merchandise) or integrat\$4 or r item or merchandise) or integrat\$4 or	Count	Name result set	Seriho bhrong hwz d & DAT
Name side by side DB=  L8  L7  DB=  L6	((query same aggregation of several same aggregation of same aggre	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog or querie\$1 or querying t\$4) NEAR7 (catalog or querie\$1 or querying or several or different	ng) NEAR9 (product of or several or different or server))  P=OR  ng) NEAR9 (product of or several or different or server)  ng) NEAR9 (product of or several or different or server))  ng) NEAR9 catalog) Vet)) SAME server	r item or merchandise) or integrat\$4 or r item or merchandise) or integrat\$4 or	Count  Ality 2	Name result set	hwid
Name side by side $DB = \frac{L8}{DB} = \frac{L6}{DB} = \frac{L5}{DB} = \frac{L5}$	((query same aggrega (((query same aggrega (((query plurality plurality fePAB, J)	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog ISPT; PLUR=YES; OF or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog or querie\$1 or querying or several or different party or several or different party in the party of the party of the party of the party in the party of the party in the part	ng) NEAR9 catalog) Weng) NEAR9 (product of or several or different or server))  P=OR  ng) NEAR9 (product of or several or different or server)  ng) NEAR9 catalog) Weng) NEAR9 catalog) Weng) NEAR9 catalog) Weng) NEAR9 catalog) Weng) SAME server  UR=YES; OP=OR	r item or merchandise) or integrat\$4 or  r item or merchandise) or integrat\$4 or  VITH (multiple or	Count  ality 2  2  2  38	Name result set  L8  L7	bhron, hwz
$ \begin{array}{c} Name \\ side by \\ side \\ DB = \\ \underline{L8} \\ \underline{L7} \\ DB = \\ \underline{L6} \\ \underline{L5} \\ DB = \\ \underline{L4} \end{array} $	((query SAME aggrega (((query SAME aggrega (((query plurality plurality EPAB, J)))	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog SPT; PLUR=YES; OFF) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog or querie\$1 or querying or several or different or several or different or several or both with the several or both with the several or different or several or both with the	ng) NEAR9 catalog) Weng) NEAR9 (product of or several or different or server))  P=OR  ng) NEAR9 (product of or several or different or server)  ng) NEAR9 catalog) Weng) SAME server  UR=YES; OP=OR  tor (search ADJ agent)	r item or merchandise) or integrat\$4 or  r item or merchandise) or integrat\$4 or  VITH (multiple or	Count  ality 2  2  2  38	Name result set  L8 L7 L6 L4	hwid
$ \begin{array}{c} Name \\ side by \\ side \\ DB = \\ \underline{L8} \\ DB = \\ \underline{L6} \\ DB = \\ \underline{L4} \\ \underline{L3} \end{array} $	((query same aggregation of the same aggregation of th	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog SPT; PLUR=YES; OFF) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog or querie\$1 or querying or querie\$1 or querying or several or different o	ng) NEAR9 (product of or several or different or server))  P=OR  ng) NEAR9 (product of or several or different or server)  ng) NEAR9 (product of or several or different or server))  ng) NEAR9 catalog) Vol.) SAME server  UR=YES; OP=OR  tor (search ADJ agent)  ping) NEAR5 agent)	r item or merchandise) or integrat\$4 or  r item or merchandise) or integrat\$4 or  VITH (multiple or	Count  ality 2  2  2  38	Name result set  L8 L7 L6 L4	bhron, hwz
$ \begin{array}{c} Name \\ side by \\ side \\ DB = \\ \underline{L8} \\ DB = \\ \underline{L6} \\ DB = \\ \underline{L4} \\ \underline{L3} \end{array} $	((query same aggregation of the same aggregation of th	or querie\$1 or querying al or different) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog SPT; PLUR=YES; OFF) or querie\$1 or querying ((multiple or plurality t\$4) NEAR7 (catalog or querie\$1 or querying or several or different or several or different or several or both with the several or both with the several or different or several or both with the	ng) NEAR9 (product of or several or different or server))  P=OR  ng) NEAR9 (product of or several or different or server)  ng) NEAR9 (product of or several or different or server))  ng) NEAR9 catalog) Very Same server  UR=YES; OP=OR  to or (search ADJ agent)  Ding) NEAR5 agent)  P=OR	r item or merchandise) or integrat\$4 or  r item or merchandise) or integrat\$4 or  VITH (multiple or	Count  ality 2  2  2  38	Name result set  L8  L7  L6  L4  L3	hwid

L1 catalog WITH (shopbot or bot or (search ADJ agent))

35 L1 Scanhan

END OF SEARCH HISTORY

hwil fost

NOR